



Knox County, Tennessee Stormwater Pollution Prevention Plan Checklist

Date:					
Project Nai	me:				
Address: _					
Zoning Clas	ssification	s:		Variances? (BZA, Use on Review, Co. Commission, etc.)YesNo	
Nature of \	/ariances:				
oreparing S excellent for understand, management Sediment Co the "No" co	WPPPs. No undation u ing the req nt on cons ontrol (EPS lumn shall	ote that no upon which pure ments truction post. The pure follows in the pure follows	ot all so h to bu s of the rojects Each e ed in a	revention Plan (SWPPP) development outline is provided to give SWPPP designers guidance for ite scenarios are contained in the checklist. However, the information in the checklist provides an uild a comprehensive Stormwater Pollution Prevention Plan. A designer is responsible for fully e TN CGP, the TDEC EPSC Handbook and good engineering practices related to stormwater. This checklist shall be submitted to Knox County Engineering along with Erosion Prevention and element presented in this list shall be checked "Yes", as applicable to the site. Checks placed under written statement attached to this checklist. Elements of the SWPPP plan that are not applicable for	
Notice o	f Intent	•		<u>.</u>	
□Yes	□No			Correct site-wide primary permittee (owner/developer) named on NOI.	
□Yes	□No			Proper signature for primary permittee provided.	
□Yes	□No			Receiving waters and watershed listed.	
□Yes	□No			ARAP required. If yes, ARAP number provided.	
□Yes	□No			Indicators of possible unidentified streams or wetlands.	
□Yes □Yes	□No □No			If yes, does a stream determination need to be performed? All other fields filled out completely.	
General Information/Narrative Yes					
□Yes	□No	□n/a	2	construction, etc.). Describe the extent of cutting and/or filling activities at the site.(3.5.1a) Provide the total acreage to be permitted. Include a description of phases to keep the disturbed acreage at the project under 25-acres of total disturbance at any one time. Include a description of borrow and waste sites. Off-site borrow and waste areas must be included in the permitted acreage calculation unless the offsite borrow or waste area has been separately permitted.(3.5.1b)	
□Yes	□No	□N/A	3	For projects more than 25-acres, the construction phases must be described. (3.5.1m)	
□Yes	□No	□N/A	4	Provide contact information for the primary permit holder. As operators are added to the site,	
				they must be added as permit holders as well.	
□Yes	□No	□n/a	5	Clearly provide the location of the site and any borrow/waste activities. Provide a USGS quadrangle showing the location of the site and waste and borrow areas. For the project site, show the locations of the outfalls on the quad map and correlate with the SWPPP.	
□Yes	□No	□n/a	6	Provide a description of the site conditions prior to disturbance and after development has been completed. Estimate the amount of managed open space, forested, and built upon land at the site prior to and after development.	
□Yes	□No	□n/a	7	Describe the soils at the site. Identify acid producing soils, hydric soils, highly erodible soils and soils with a high clay content.	
□Yes	□No	□N/A	8	Have soil characteristics been considered in the design?	
□Yes	□No	□N/A	9	Provide a calculation of the runoff coefficient of the site after construction activities are completed and how the runoff will be handled to prevent erosion at the permanent outfall(s).	

				Provide a list of possible chemicals stored on the project. Indicate the types of pollution
□Yes	□No	□N/A	10	prevention measures that will be included on the project, including the person's title that will be
				responsible for overseeing pollution prevention on the site.
□Yes	□No	□n/a	11	For projects that have separate and common stormwater features, such as residential developments or industrial parks, the developer/owner must describe how they will prevent erosion and/or control any sediment from portions of the property that will be sold prior to completion of construction; once the property is sold, the new operator must obtain coverage under the CGP, and assume operational control and responsibility of that portion of the site. If instead new owners desire separate coverage and to operate under a separate SWPPP, the new owner must clearly demonstrate how the new SWPPP and original SWPPP will not cause conflicting stormwater management issues.
□Yes	□No	□N/A	12	Location of on-site SWPPP identified in narrative and on plan. (3.3.3)
□Yes	□No	□N/A	13	Quality Assurance Site Assessment described in narrative and on plan as in section 3.1.2 of TNCGP. (3.1.2)
□Yes	□No	□N/A		Identifies in narrative and on plan that inspections of outfall points and all EPSCs shall be
			14	performed at least twice a week and at least 72 hours apart. (3.5.8.2)
□Yes	□No	□N/A	15	Estimation of the percent slope based off of a drainage area serving each outfall. (3.5.1d)
□Yes	□No	□N/A	16	All EPSC measures must be designed for the 5-yr, 24-hr design storm. Provide a summary of supporting calculations to show the design criteria has been met. In addition, outfalls that have 5 acres or more of drainage are required to have a sediment basin or equivalent measure(s). If equivalent measure(s) are to be used, equivalency must be verified through design. Calculations for basin volumes must be included in the SWPPP.(5.4.1a)
□Yes	□No	□N/A	17	Acreage of drainage areas and basin volumes have been provided in the narrative. (3.5.3.3b)
EPSC PI	an Info	rmatio □N/A	n 1	Plans and specs for structural control measures prepared and stamped by professional engineer or landscape architect. (3.1.1)
□Yes	□No	□N/A	2	If the project disturbs less than 5 acres, provide at least 2 separate EPSC plan sheets. At least two phases shall be identified, with associated EPSC staging addressed. The plan phases shall be addressed separately in plan sheets, with each phase reflecting the conditions and measures necessary to manage stormwater runoff and EPSC during the initial land disturbance (initial grading) and at final grading.(3.5.2)
□Yes	□No	□n/a	3	If the project disturbs more than 5 acres total, provide at least 3 separate EPSC plan sheets. Three phases shall be identified. The first plan sheet should reflect the conditions and measures necessary to manage stormwater runoff and EPSC, during the initial land disturbance (initial grading). The second plan sheet shall reflect the conditions and measures necessary to manage stormwater runoff and EPSC from interim land disturbance activities. The third plan sheet shall reflect the conditions and measures necessary to manage stormwater runoff and EPSC at final grading.(3.5.2)
□Yes	□No	□n/a	4	Identify all outfalls from the project on the plan . Provide unique labels for each outfall. Provide a summary table in the narrative that identifies the total drainage area, disturbed drainage area, and diverted drainage area (run-on that will not drain to the outfall) to each outfall. The table must indicate the name of the feature to which the outfall drains (e.g. stream, wet weather conveyance, lake).(3.5.1g)
□Yes	□No	□N/A	5	For an outfall in a drainage area of a total of 5 or more acres, a temporary sediment basin has been provided(5.4.1f)
□Yes	□No	□N/A	6	Show the approximate location for each EPSC or pollution prevention measure. Include standard symbols referenced in the TDEC EPSC Handbook. Provide standard details with specific sizes and construction materials, based upon the supporting calculations where appropriate. Provide internal and perimeter sediment controls. Provide erosion prevention measures at all pipe outlets

□Yes	□No	□N/A	7	Discusses when sediment will be removed from sediment controls (as necessary but at least when design capacity has been reduced by 50%)(3.5.3.1e)		
□Yes	□No	□N/A	8	Construction access described to reduce off-site vehicle tracking of sediment(3.5.3.1n)		
				Stabilization completed within 15 days (7 days for ≥35% slopes) on portions of site where		
□Yes	□No	□N/A	9	construction activities have temporarily or permanently ceased. (3.5.3.2)		
				Identify on the plans the locations of the ARAP boundaries and reference the ARAP. For sites		
_	_			where stream diversions are necessary, show specific sequencing related to the construction of		
□Yes	□No	□N/A	10	the diversion, the active construction in the natural channel, dewatering, and turning the stream		
				back into the natural channel.(3.5.1i)		
				Identify areas not to be disturbed by construction clearly on the plans, including stream buffers.		
□Yes	□No	□N/A	11	Include specifications in the plan for how to delineate these areas, such as the installation of high		
			_	visibility fencing or signage along the outer most edge of the buffer.(3.5.1n)		
				Identify sinkholes on the plans and specify measures during construction and after construction		
□Yes	□No	□N/A	12	to protect water quality and the integrity of the sinkhole.		
□Yes	□No	□N/A	13	Provide a comprehensive legend, north arrow and scale.		
		-		Clearly indicate the boundaries of the area to be covered by the permit on the plan . Estimates of		
□Yes	□No	□N/A	14	the total area of the site and the total area of disturbance by grading, filling, or other		
		-		construction activities is given must be included in the narrative. (3.5.1c)		
				Include topographic information to support the SWPPP design. The topographic information		
□vaa			15	should extend to encompass the watersheds that contribute to the outfalls from the proposed		
□Yes	□No	□N/A	15	site. This information should be used in determining the total drainage area (as opposed to the		
				onsite disturbed drainage area).		
□Yes	□No	□N/A	16	A 60-foot buffer zone has been provided and shown on plans along all streams, lakes, and		
□ 1E3		□IV/A	10	wetlands on or adjacent to the construction site. (5.4.2and 4.1.2a)		
				Divert run-on around the project with diversions, berms or other measures. Design structural		
				controls based upon the drainage area, disturbed area, slope and soils. When clay and other fine		
□Yes	□No	□N/A	17	particle soils are present at the construction site, chemical treatment may be used in accordance		
				with soil testing and the manufacturer's requirements to reduce turbidity in the runoff being		
				discharged from the project.		
				Identify steep slope areas on the plan. The SWPPP must include a description of measures that		
□Yes	□No	□N/A	18	will be installed to dissipate the volume and energy of the stormwater runoff. Best management		
				practices (bmp) should be provided to keep slope lengths short and therefore keep the erosion		
				potential lower. Each bmp must have erosion prevention addressed with outlet protection.		
□Yes	□No	□N/A]N/A 19	Clearly indicate, on the plan and in the narrative , locations of stockpiles on the project, such as		
		-		topsoil stockpiles. Provide EPSC controls around the stockpile area.		
			N/A 20	If permanent stormwater management controls are included in the project, clearly locate the		
□Yes	□No	□N/A		permanent control(s) and include the installation of the permanent measures in the construction		
				sequence. (3.5.3.3a)		
Environmentally Sensitive Areas						
A. Description of Receiving Stream:						
А. D	Escription	l OI RECEI	VIIIg 3	T		
□vaa		□n/a	1	In the narrative, provide a description of the receiving stream – Is it impaired, an Exceptional TN		
□Yes	□No		1	Water, an Outstanding National Resource Water? Is it covered by a TMDL? If so, how will the SWPPP address these issues?		
				In the narrative and where appropriate on the plan, detail any streams to be relocated, crossed		
□Yes	□No	□n/a	2	(even temporarily) or piped as a part of this project? If so, an ARAP and COE permit are likely		
				required. These permits must be obtained prior to submitting the NOI.		
B. Ti	reatener	l and End	langer	ed Species		
<u> </u>	cateriet			If threatened or endangered species are present, the US Fish and Wildlife Services must be		
□Yes	□No	□N/A	3	consulted for federal listings. The TDEC Natural Heritage Program must be consulted for state		
				listed species. Applicants must provide proof to Knox County that the appropriate agency has		
				been contacted before a permit will be issued.		
		•		,		

□Yes	□No	□n/a	4	Include any restrictions on work area or schedule in the plans, as required by USF&W or TDEC. Changes to plans must be submitted to Knox County.	
C. W	C. Wetlands				
□Yes	□No	□N/A	5	In the narrative, describe if there are any wetlands on or adjacent to the project?	
□Yes	□No	□N/A	6	Locate wetland on the plans.	
□Yes	□No	□N/A	7	Describe in the narrative and show on the plan the approximate size and location of affected wetland acreage at the site is noted (if applicable). (3.5.1j)	
□Yes	□No	□N/A	8	Include measures on the plans to protect the wetlands.	
□Yes	□No	□N/A	9	If they will be impacted by the project, an ARAP or COE permit may be required. These permits must be obtained prior to the issuance of the Notice of Coverage.	

Pollution Prevention Measures

□Yes	□No	□N/A	1	Identify on the plan and describe in the narrative the location(s) of the concrete washout area on site. Include a standard note to provide adequate signage on the project indicating the area as the concrete washout area.
□Yes	□No	□N/A	2	All chemicals and soluble materials stored onsite must either be stored in an enclosed, waterproof storage facility or provided with secondary containment capable of storing the contents of the total amount of chemicals stored. Spill cleanup materials must be located within the immediate proximity of the materials as well. All of this information must be included on the plans and in the written narrative of the SWPPP.
□Yes	□No	□n/a	3	Include a statement in the narrative and on the plan stating that placement of port-a-potties on the project will not be located close to streams, wetlands or storm drains.
□Yes	□No	□N/A	4	If maintenance is to be performed on vehicles on the site, the location of the maintenance area(s) must be indicated on the plans . Provide a listing in the written narrative in the SWPPP of pollution prevention best practices tools that should be used with vehicle maintenance activities, such as drip pans for oil drips and changes, oil recycling facilities, spill cleanup materials, and containers for recycling or disposing of other lubricants or oils related to vehicle maintenance and cleaning.
□Yes	□No	□N/A	5	Provide an area for the storage of construction related materials and debris. For trash on the project, a trash receptacle with a lid is required. Indicate the location of storage areas and describe in the narrative how these will be properly maintained.
□Yes	□No	□n/a	6	Provide a description in the written narrative of any discharge associated with industrial activity other than construction stormwater that originates on site and on the plan , indicate the location of that activity and its permit number.

Submit SWPPP Checklist to:
Knox County Stormwater Management
Attn: Plans Review Staff
205 West Baxter Avenue
Knoxville, TN 37917